



[cancer.org](http://cancer.org) | 1.800.227.2345

---

## **Gastrointestinal Stromal Tumor Causes, Risk Factors, and Prevention**

---

## **Gastrointestinal Stromal Tumor Risk Factors**

- [Inheriting certain genetic syndromes](#)

A risk factor is anything that increases a person's chances of getting a disease like cancer. Different cancers have different risk factors. Some risk factors, like smoking, can be changed. Others, like a person's age or family history, can't be changed.

But having a risk factor, or even several, does not mean that a person will get the disease. And many people who get the disease may have few or no known risk factors.

Currently, there are very few known risk factors for gastrointestinal stromal tumors (GISTs).

## Being older

These tumors can occur in people of any age, but they are rare in people younger than 40 and are most common in people older than 50.

## Inheriting certain genetic syndromes

Most GISTs are sporadic (not inherited) and have no clear cause. In rare cases, though, GISTs have been found in several members of the same family. These family members have inherited a gene mutation (change) that can lead to GISTs.

**Primary familial GIST syndrome:** This is a rare, inherited condition that leads to an increased risk of developing GISTs. People with this syndrome tend to develop GISTs at a younger age than when they usually occur. They are also more likely to have more than one GIST.

Most often, this syndrome is caused by an abnormal *KIT* gene that is passed from parent to child. This is the same gene that is mutated (changed) in most sporadic GISTs. (See [What Causes Gastrointestinal Stromal Tumors?](#)) People who inherited this abnormal gene from a parent have it in all their cells, while people with sporadic GISTs only have it in the cancer cells.

Less often, a change in the *PDGFRA* gene causes this genetic syndrome. (Defects in the *PDGFRA* gene are also found in a small percentage of sporadic GISTs.)

Sometimes people with familial GIST syndrome also have skin spots like those seen in patients with neurofibromatosis (discussed below). Before tests for the *KIT* and *PDGFRA* genes became available, some of these people mistakenly were thought to



# What Causes Gastrointestinal Stromal Tumors?

- [Gene changes that can lead to GISTs](#)

Researchers do not know exactly what causes most gastrointestinal stromal tumors (GISTs). But great progress has been made in learning how certain changes in DNA can cause normal cells to become cancer cells.

DNA is the chemical in our cells that makes up our **genes**, which control how our cells function. We usually look like our parents because they are the source of our DNA. But DNA affects more than just how we look.

Some genes control when cells grow and divide into new cells:

- Certain genes that help cells grow, divide, and stay alive are called **oncogenes**.
- Genes that normally keep cell growth under control, repair mistakes in DNA, or cause cells to die at the right time are called **tumor suppressor genes**.

Cancers can be caused by DNA changes that keep oncogenes turned on, or that turn off tumor suppressor genes. These types of gene changes can lead to cells growing out of control.

## Gene changes that can lead to GISTs

The gene changes that lead to most GISTs are now understood, but it's still not clear why these changes occur. There are no known lifestyle-related or environmental [risk factors for GIST](#). Some of the gene changes that lead to GISTs might have causes that haven't been found yet, but many of these changes may just be random events that sometimes happen inside cells that unfortunately lead to cancer.

A small number of families have GISTs that are caused by a gene mutation passed down from parent to child. (See [Gastrointestinal Stromal Tumor Risk Factors](#).) But most gene mutations related to GISTs are not inherited. These changes occur for no apparent reason, and are called **acquired** or **sporadic**.

**Changes in *KIT* lifestyle-related or environmental, 72 3732e17 /GS16ndom events that**

In most people with GISTs, the cancer cells have a change in the *KIT* oncogene. This gene directs cells to make the KIT protein (also known as CD117), which causes the

Morgan J, Raut CP, Duensing A, Keedy VL. Epidemiology, classification, clinical presentation, prognostic features, and diagnostic work-up of gastrointestinal stromal tumors (GIST). UpToDate. 2019. Accessed at <https://www.uptodate.com/contents/epidemiology-classification-clinical-presentation-prognostic-features-and-diagnostic-work-up-of-gastrointestinal-stromal-tumors-gist> on October 14, 2019.

National Cancer Institute. Physician Data Query (PDQ). Gastrointestinal Stromal Tumors Treatment. 2018. Accessed at [www.cancer.gov/types/soft-tissue-sarcoma/hp/gist-treatment-pdq](http://www.cancer.gov/types/soft-tissue-sarcoma/hp/gist-treatment-pdq) on October 14, 2019.

National Comprehensive Cancer Network (NCCN). NCCN Clinical Practice Guidelines in Oncology: Soft Tissue Sarcoma. V.4.2019. Accessed at [www.nccn.org/professionals/physician\\_gls/pdf/sarcoma.pdf](http://www.nccn.org/professionals/physician_gls/pdf/sarcoma.pdf) on October 14, 2019.

Last Revised: December 1, 2019

---

## Can Gastrointestinal Stromal Tumors Be Prevented?

The risk of many types of cancer can be reduced with certain lifestyle changes (such as getting to and staying at a healthy weight, or quitting smoking).

But the only known [risk factors for gastrointestinal stromal tumors \(GISTs\)](#) older age and certain rare, inherited genetic syndromes – cannot be changed. There are no known lifestyle-related or environmental causes of GISTs, so at this time we do not know of any way to protect against these cancers.

### References

Casali PG, Dei Tos AP, Gronchi A. Chapter 60: Gastrointestinal Stromal Tumor. In: DeVita VT, Lawrence TS, Rosenberg SA, eds. *DeVita, Hellman, and Rosenberg's Cancer: Principles and Practice of Oncology*. 11th ed. Philadelphia, Pa: Lippincott Williams & Wilkins; 2019.

Morgan J, Raut CP, Duensing A, Keedy VL. Epidemiology, classification, clinical

presentation, prognostic features, and diagnostic work-up of gastrointestinal stromal tumors (GIST). UpToDate. 2019. Accessed at <https://www.uptodate.com/contents/epidemiology-classification-clinical-presentation-prognostic-features-and-diagnostic-work-up-of-gastrointestinal-stromal-tumors-gist> on October 14, 2019.

National Cancer Institute. Physician Data Query (PDQ). Gastrointestinal Stromal Tumors Treatment. 2018. Accessed at [www.cancer.gov/types/soft-tissue-sarcoma/hp/gist-treatment-pdq](http://www.cancer.gov/types/soft-tissue-sarcoma/hp/gist-treatment-pdq) on October 14, 2019.

Last Revised: December 1, 2019

### **Written by**

The American Cancer Society medical and editorial content team  
(<https://www.cancer.org/cancer/acs-medical-content-and-news-staff.html>)

Our team is made up of doctors and oncology certified nurses with deep knowledge of cancer care as well as journalists, editors, and translators with extensive experience in medical writing.

American Cancer Society medical information is copyrighted material. For reprint requests, please see our Content Usage Policy ([www.cancer.org/about-us/policies/content-usage.html](http://www.cancer.org/about-us/policies/content-usage.html)).

**cancer.org | 1.800.227.2345**